

International Multispeciality Journal of Health

ISSN: 2395-6291



www.imjhealth.org

Volume-7, Issue-5, May 2021

Preface

We would like to present, with great pleasure, the inaugural volume-7, Issue-5, May 2021, of a scholarly journal, *International Multispeciality Journal of Health*. This journal is part of the AD Publications series *in the field of Medical, Health and Pharmaceutical Research Development*, and is devoted to the gamut of Medical, Health and Pharmaceutical issues, from theoretical aspects to application-dependent studies and the validation of emerging technologies.

This journal was envisioned and founded to represent the growing needs of Medical, Health and Pharmaceutical as an emerging and increasingly vital field, now widely recognized as an integral part of scientific and technical statistics investigations. Its mission is to become a voice of the Medical, Health and Pharmaceutical community, addressing researchers and practitioners in below areas

Clinical Specialty and Super-specialty Medical Science:

It includes articles related to General Medicine, General Surgery, Gynecology & Obstetrics, Pediatrics, Anesthesia, Ophthalmology, Orthopedics, Otorhinolaryngology (ENT), Physical Medicine & Rehabilitation, Dermatology & Venereology, Psychiatry, Radio Diagnosis, Cardiology Medicine, Cardiothoracic Surgery, Neurology Medicine, Neurosurgery, Pediatric Surgery, Plastic Surgery, Gastroenterology, Gastrointestinal Surgery, Pulmonary Medicine, Immunology & Immunogenetics, Transfusion Medicine (Blood Bank), Hematology, Biomedical Engineering, Biophysics, Biostatistics, Biotechnology, Health Administration, Health Planning and Management, Hospital Management, Nephrology, Urology, Endocrinology, Reproductive Biology, Radiotherapy, Oncology and Geriatric Medicine.

Para-clinical Medical Science:

It includes articles related to Pathology, Microbiology, Forensic Medicine and Toxicology, Community Medicine and Pharmacology.

Basic Medical Science:


It includes articles related to Anatomy, Physiology and Biochemistry.

Spiritual Health Science:

It includes articles related to Yoga, Meditation, Pranayam and Chakra-healing.

Each article in this issue provides an example of a concrete industrial application or a case study of the presented methodology to amplify the impact of the contribution. We are very thankful to everybody within

that community who supported the idea of creating a new Research with *IMJ Health*. We are certain that this issue will be followed by many others, reporting new developments in the Medical, Health and Pharmaceutical Research Science field. This issue would not have been possible without the great support of the Reviewer, Editorial Board members and also with our Advisory Board Members, and we would like to express our sincere thanks to all of them. We would also like to express our gratitude to the editorial staff of AD Publications, who supported us at every stage of the project. It is our hope that this fine collection of articles will be a valuable resource for *IMJ Health* readers and will stimulate further research into the vibrant area of Medical, Health and Pharmaceutical Research.



Dr. Kusum Gaur
(Chief Editor)



Mr. Mukesh Arora
(Managing Editor)

Board Members

Dr. Kusum Gaur (Editor-in-chief)

Dr. Kusum Gaur working as professor Community Medicine and member of Research Review Board of Sawai Man Singh Medical College, Jaipur (Raj) India.

She has awarded with WHO Fellowship for IEC at Bangkok. She has done management course from NIHFW. She has published and present many research paper in India as well as abroad in the field of community medicine and medical education. She has developed Socio-economic Status Scale (Gaur's SES) and Spiritual Health Assessment Scale (SHAS). She is 1st author of a book entitled " Community Medicine: Practical Guide and Logbook.

Research Area: Community Medicine, Biostatics, Epidemiology, Health and Hospital Management and Spiritual Health.

Mukesh Arora (Managing Editor)

BE (Electronics & Communication), M.Tech (Digital Communication), currently serving as Assistant Professor in the Department of ECE.

Dr. AMER A. TAQA

Dr. AMER A. TAQA is Professor and Head in Dental Basic Science Mosul University, Mosul, IRAQ. He has been registrar of department of Dental Basic Science Mosul University, Mosul, IRAQ. He has published about 100 of research papers and out of that 50 were of international level. He has awarded many times for scientific researches by Government. He has been member of many examination committees and also is a Member in Iraqi Scientific Staff. He has been working as Editor - reviewer in many journals.

Research Area: Dental Science.

Dr. I.D. Gupta

Dr. I. D. Gupta is Professor Psychiatry and working as additional Principal and Dean of student welfare in SMS Medical College, Jaipur.

He is recipient of Prof. Shiv Gautam oration award by Indian Psychiatric Society. He has done training in YMRS at Monte Carlo and BPRS at Singapore. He has been President Indian Psychiatric Society, Rajasthan State Branch. He is author of "Psycho Somatic Disorder" chapter in 1st edition post graduate text book of Psychiatry by Vyas and Ahuja. He has also worked with National Mental Health Programme and has a lot of publication.

Research Area: Community Mental Health, Psycho somatic and liaison Psychiatry.

Dr. Lokendra Sharma

Dr. Lokendra Sharma is Associate Professor Pharmacology and working as Nodal officer of SMS Medical College, Jaipur.

He is recipient of WHO Fellowship award on Poison Patient Management at Vietnam. He is resource faculty for Experimental Toxicology and Basic Course for Medical Education. He is presented and published a lot of research articles at national and international level.

Research Area: PHARMACOLOGY

Dr. Anuradha Yadav

Dr. Anuradha Yadav is working as Professor Physiology, SMS Medical College, Jaipur (Rajsthan) India. She is a popular medical teacher and research scholar who had many publications in indexed journals.

Research Area: CVS & CNS physiology, Medical Education and Spiritual Health.

Dr. Rajeev Yadav

Dr. Rajeev Yadav is working as Associate Professor Community Medicine, SMS Medical College, Jaipur (Rajsthan) India. He is member of Research Review Board of the Institute.

He has authored a book entitled "Community Medicine: Practcal Guide and Logbook".

Research Area: His area of Interest are Epidemiology, Biostatistics and Spiritual Health.

Prof. Dillip Kumar Parida

Professor and Head in the Department of Oncology, AIIMS, Bhubaneswar.

He has done the Professional Training in Japan (Osaka University, NIBI, AHCC Research Association, Hyogo Ion Beam Center), ESTRO Fellowship in Denmark and India(AIIMS Delhi, BARC Mumbai, SCB Medical College-Cuttak, MKCG Medical College-Berhampur).

Research Area: Brachytherapy, Total Skin Electron Irradiation, Palliative Radiotherapy, Stereotactic & Conformal radiotherapy, Radiation Cell Biology, Cancer Genetics.

Dr. Praveen Mathur

Dr. Praveen Mathur is working as Professor- Pediatric Surgery and is recipient of Commonwealth Fellowship in Pediatric Laparoscopy from Uk and fellowship award in minimal access Surgery (FMAS). He has done Clinical observer ship in the Department of Pediatric Surgery, Johns Hopkins University, Baltimore, USA. (2008). He has presented and published a number of research articles at national and international level. He is reviewer of prestigious Journal of Pediatric Surgery (JPS) and World Journal of Gastroenterology, Journal of neonatal Surgery (JNS).

Research Area: Pediatric Surgery & Laparoscopy.

Dr. Lokendra Sharma

Dr. Lokendra Sharma is Associate Professor Pharmacology and working as Nodal officer of SMS Medical College, Jaipur.

He is recipient of WHO Fellowship award on Poison Patient Management at Vietnam. He is resource faculty for Experimental Toxicology and Basic Course for Medical Education. He is presented and published a lot of research articles at national and international level.

Research Area: PHARMACOLOGY.

Dr Rajeev Sharma (MS; FMAS; FIMSA;FCLS)

He is working as Professor, Department of Surgery, Government Medical College, Chandigarh, India. He has done FMAS, FIMSA and FCLS along with MS (Gen Surgery).

He has about 50 international and national publications to his credit. He has held various positions in the Association of Minimal Access Surgeons of India (AMASI) from time to time. He has also acted as instructor of various AMASI skill courses held at different places in India. He has established Surgical Technique learning centre at GMCH Chandigarh for imparting training to the budding surgeons in the field of minimal access surgery. He is also the reviewer in the subject in various journals.

Research Area: Minimal Access Surgery.

Dr Anshu Sharma (MS ANATOMY)

She is Presently working as assistant professor in the department of Anatomy, GMCH, Chandigarh. She has many publications in various national and international journals. She is executive member of Anatomical Society of India (ASI) and North Chapter of ASI. She is also a member of editorial board of Journal of Medical College Chandigarh.

Research Area: Congenital Malformation, Developmental Anatomy.

Dr. Rajeev Yadav

Dr. Rajeev Yadav is working as Associate Professor Community Medicine, SMS Medical College, Jaipur (Rajsthan) India. He is member of Research Review Board of the Institute.

He has authored a book entitled "Community Medicine: Practical Guide and Logbook".

Research Area: His areas of Interest are Epidemiology, Biostatistics and Spiritual Health.

Dr. Dilip Ramlakhyani

Dr. Dilip Ramlakhyani working as Associate professor Pathology and member of IT Committee of Sawai Man Singh Medical College, Jaipur (Raj) India. He has published many articles in indexed journals.

Dr. Virendra Singh

Dr. Virendra Singh worked as Supernatant and head of department of Pulmonary Medicine, SMS Medical College, Jaipur (Rajsthan) India.

He has gone abroad for many training courses and to present research papers. He had been chairman of Research Review Board of SMS Medical College, Jaipur. He is a great research scholar and had published book related to his faculty and had many publications in indexed journals.

Dr. Mahesh Sharma

Dr. Mahesh Sharma is a Principle specialist General Surgery in Rajasthan State Government, India. He has been PMO of district hospitals for more than 15 years. He has gone abroad as observer of many of training related to his speciality. He has published and present many research paper in India as well as abroad.

He has developed Spiritual Health Assessment Scale (SHAS) with Dr. Kusum Gaur.

Research Area: General Surgery, Health and Hospital management and Spiritual Health.

Dr. Ravindra Manohar

Professor Community Medicine, working as head of department of PSM, SMS Medical College, Jaipur (Rajsthan) India.

Previously he has worked in BP Kiorala Institute of Medical Sciences, Nepal. He has visited CDC Atlántica for a Statistical workshop. He has been convener of MBBS and PG exams. He is a research scholar and had many publications in indexed journals.

Dr. Praveen Mathur

Dr. Praveen Mathur is working as Professor- Pediatric Surgery and is recipient of Commonwealth Fellowship in Pediatric Laparoscopy from Uk and fellowship award in minimal access Surgery (FMAS). He has done Clinical observer ship in the Department of Pediatric Surgery, Johns Hopkins University, Baltimore, USA. (2008). He has presented and published a number of research articles at national and international level. He is reviewer of prestigious Journal of Pediatric Surgery (JPS) and World Journal of Gastroenterology, Journal of neonatal Surgery (JNS).

Research Area: Pediatric Surgery & Laparoscopy.

Table of Contents

Volume-7, Issue-5, May 2021

S.No	Title	Page No.
1	<p>Effect of Subcutaneous Administration of Teriparatide in Postmenopausal Osteoporosis</p> <p>Authors: Sunil Goenka, Prasenjit Das, Rajeev Yadav</p> <p> DOI: https://dx.doi.org/10.5281/zenodo.4903347</p> <p> Digital Identification Number: IMJH-MAY-2021-1</p>	01-07

Effect of Subcutaneous Administration of Teriparatide in Postmenopausal Osteoporosis

Sunil Goenka¹, Prasenjit Das^{2*}, Rajeev Yadav³

¹Senior Professor, Department of PMR, SMS Medical College, Jaipur,

²Junior Resident, Department of PMR, SMS Medical College, Jaipur,

³Professor, Department of Community Medicine, SMS Medical College, Jaipur,

*Corresponding author

Received:- 8 May 2021/ Revised:- 16 May 2021/ Accepted: 21 May 2021/ Published: 31-05-2021

Copyright © 2021 International Multispecialty Journal of Health

This is an Open-Access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (<https://creativecommons.org/licenses/by-nc/4.0>) which permits unrestricted Non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

Abstract— Postmenopausal osteoporosis is a serious health problem in Indian women as it increases chances of both vertebral and non-vertebral fractures. Currently standard treatment guidelines do not offer any effective prevention of osteoporosis. Teriparatide, in various international studies has been found as an effective treatment option for prevention of postmenopausal osteoporosis. However, there is very limited of data of Indian postmenopausal women. Therefore, present study is an attempt to observe the treatment effect of teriparatide for prevention of postmenopausal osteoporosis.

Objective: To observe the treatment effect of teriparatide in patients suffering from postmenopausal osteoporosis in terms of bone mineral density.

Methods: This randomized control study was done in 62 randomly selected patients with postmenopausal osteoporosis at SMS Hospital, Jaipur. After administering teriparatide (20 mcg daily), we measured lumbar spine, total hip and distal radius BMD at 6 and 12 months.

Results: At 6 months, lumbar spine BMD increased more in teriparatide group (0.74 ± 1.43 , $P=0.007$) than in control group (0 ± 0.32 , $P=0.007$) and at the end of 12 months also, lumbar spine BMD increased more in teriparatide group (0.8 ± 0.43) than in control group (-0.03 ± 0.41). Similarly, at 6 months, total hip BMD increased more in teriparatide group (0.36 ± 0.45 , $P<0.001$) than in control group (-0.08 ± 0.22 , $P<0.001$) and at the end of 12 months, total hip BMD increased more in teriparatide (0.59 ± 0.45) than in control group (-0.1 ± 0.36). At 6 months, distal radius BMD increased more in teriparatide group (0.44 ± 0.74 , $P=0.004$) compared to control group (0.00 ± 0.37 , $P=0.004$) and at 12 months, distal radius BMD increased more in teriparatide group (0.77 ± 0.68) compared to control group (-0.04 ± 0.43).

Conclusions: Teriparatide is an effective agent to treat postmenopausal osteoporosis and it is more effective at lumbar spine than at hip and radius. To conclude further treatment is needed as sequential therapy because on stopping treatment BMD again start receding over the period.

Keywords— Teriparatide, Postmenopausal women, Bone mineral density, Osteoporosis.

I. INTRODUCTION

WHO operationally defines osteoporosis as bone density that falls 2.5 SD below the mean for young healthy adults of same gender ($t \text{ score} \leq 2.5$).^{1,2} In postmenopausal osteoporosis, cessation of oestrogen secretion leads to decrease in IL-6 and other cytokines, which in turn leads to increased recruitment and activation of osteoclasts.¹ Postmenopausal osteoporosis is a major health problem in Indian women as it increases chances of both vertebral and non-vertebral fractures and the numbers are

growing day by day.³ BMD in Indian population is comparatively lower than those in Caucasian women^{4,5} and fractures are reported to occur 10-12 years earlier than the western population.⁶ Presently treatment seeking behaviour of patients in India is very poor and treatment offered for postmenopausal symptoms does not include effective prevention of postmenopausal osteoporosis. Currently standard treatment guidelines do not offer any effective prevention of osteoporosis. Teriparatide is approved by FDA for treatment of postmenopausal osteoporosis and the dose is 20 mcg subcutaneously once daily.² It is an exogenous PTH analogue which stimulates interstitial growth factor -1 (IGF-1) and collagen production and appears to increase osteoblast number by stimulating replication.¹ Thus it truly increase the bone mass and restores bone microarchitecture.^{7,8} Various international studies has shown that teriparatide is an effective treatment option for prevention of postmenopausal osteoporosis.

II. OBJECTIVES

To observe the treatment effect of teriparatide in patients suffering from postmenopausal osteoporosis in terms of bone mineral density i.e. t-score (by Hologic Qdr-delphi dual energy x ray absorptiometry) at 0, 6 and 12 months.

III. MATERIAL AND METHOD

Present prospective randomized control study was conducted between June, 2019 to September 2020 in the department of PMR, SMS hospital, Jaipur among established osteoporotic postmenopausal elderly patients aged 45 to 80 years with BMD t- score of -2.5 or less at femoral neck / total hip OR lumbar spine BMD t- score of -1.5 to -2.5 at any site plus one or more documented vertebral or non vertebral fracture. Patients of renal dysfunction, hypocalcemia, hypercalcemia were excluded along with patients taking any medication for osteoporosis like denosumab, teriparatide, bisphosphonates, strontium. Permission from institutional ethics committee and research review board was obtained. 62 patients fulfilling criteria and giving consent to the study were included in the study and randomized into control and teriparatide group using computer generated random numbers from www.random.org. All recruited 62 patients were approached by investigators and were explained about nature and purpose of the study. After obtaining their informed written consent, detailed history, thorough general & systemic examination was done. All baseline routine investigations and specific investigations like DEXA scan, vitamin D3 was done. In intervention group injection teriparatide 20 mcg subcutaneously once daily was given for 1 year along with standard care including vitamin D3 60k once weekly, calcium supplementation, physical exercises whereas in control group only standard care given. Patients were followed up at 6 months and 12 months for repeat DEXA scan and injection denosumab repeat in intervention group. All relevant parameters collected during history taking, examinations & during routine and specific investigations at baseline, 6 months & 12 months were recorded as a pre-design semi-structured study proforma.

Data thus collected was entered in Microsoft excel sheet to prepare master chart and then subjected to statistical analysis.


IV. DATA ANALYSIS

Linear variables were summarised as mean & standard deviations and were analysed using unpaired t-test and repeated measure annova.

Nominal and categorical variables were presented as percentages and were analysed using Chi-square test & Fisher exact test.

p-value ≤ 0.05 was taken as significant. SPSS 22.0 version software was used for statistical analysis.

Flow Chart



V. RESULTS

Present study included 62 study participants who fulfilled inclusion criteria and completed 12 months follow up period. Mean age and mean BMI of study participants were 62.44 ± 9.71 years and 25.33 ± 4.33 kg/m².

When patients were randomized into teriparatide and control group, mean age and BMI of patients of teriparatide group was 62.16 ± 9.51 years & 26.17 ± 4.58 kg/m² respectively and that in control group was 62.71 ± 10.06 years & 24.5 ± 3.97 kg/m² respectively. Mean age and BMI along with other general characteristics of patients was found comparable ($p > 0.05$) between the groups (table 1).

TABLE 1
GENERAL CHARACTERISTICS OF STUDY PARTICIPANTS

Age group (Years)	Total (N=62)		Control (N=31)		Teriparatide (N=31)		'p' value*
	No.	%	No.	%	No.	%	
<50	7	11.3	4	12.9	3	9.7	0.813 [#]
50-59	18	29	9	29.0	9	29	
60-69	22	35.5	9	29.0	13	41.9	
≥70	15	24.2	9	29.0	6	19.4	
PMP period							
<10	15	24.2	7	22.6	8	25.8	1.000 [#]
10-19	14	22.6	8	25.8	6	19.4	
20-29	26	42	13	41.9	13	41.9	
30-40	7	11.2	3	9.7	4	12.9	
Residence							
Rural	11	17.7	8	25.8	3	9.7	0.184*
Urban	51	82.3	23	74.2	28	90.3	
Education							
Illiterate	25	40.3	15	48.4	10	32.3	0.741 [#]
Primary	5	8	2	6.5	3	9.7	
Middle	7	11.3	4	12.9	3	9.7	
Secondary	12	19.4	5	16.1	7	22.6	
Higher secondary	5	8	1	3.2	4	12.9	
Graduate	8	13	4	12.9	4	12.9	
Religion							
Hindu	49	79.0	22	71.0	27	87.1	0.212*
Muslim	13	21.0	9	29.0	4	12.9	
Dietary habit							
Mix diet	17	27.4	11	35.5	6	19.4	0.255*
Vegetarian	45	72.6	20	64.5	25	80.6	
Risk factors							
Absent	48	77.4	26	83.9	22	71	0.362*
Present	14	22.6	5	16.1	9	29	
Fracture							
Absent	51	82.3	25	80.6	26	83.9	1.000*
Present	11	17.7	6	19.4	5	16.1	
Hysterectomy							
Done	8	13	2	6.5	6	19.4	0.256*
Not done	54	87	29	93.5	25	80.6	

When intra-group comparison of t-score of spine, hip & radius was analysed using repeated measure annova test, significant improvement ($p < 0.05$) was observed in teriparatide group at all 3 sites i.e. spine, hip & radius while in control group there was no significant change in t-score was found at any of the 3 sites (table 2).

TABLE 2
INTRA GROUP COMPARISON OF T SCORE

T Score	Group	Baseline	6 months	12 months	'p' value*
Spine	Control (N=31)	-3.16 ± 1.04	-3.16 ± 1.09	-3.19 ± 1.1	0.837
	Teriparatide (N=31)	-2.83 ± 1.08	-2.16 ± 1.7	-2.1 ± 0.99	0.001
Hip	Control (N=31)	-2.30 ± 1.0	-2.38 ± 0.97	-2.41 ± 0.98	0.096
	Teriparatide (N=31)	-2.38 ± 0.78	-2.09 ± 0.72	-1.85 ± 0.72	<0.001
Radius	Control (N=31)	-3.97 ± 1.4	-3.97 ± 1.30	-4.00 ± 1.33	0.822
	Teriparatide (N=31)	-3.84 ± 1.5	-3.51 ± 1.43	-3.17 ± 1.36	<0.001

**Repeated Measure AnOVA test*

Mean t-score of spine in teriparatide group was -2.83, -2.16 & -2.1 at baseline, 6 months and 12 months respectively whereas it was -3.16, -3.16 & -3.19 at baseline, 6 months and 12 months respectively in control group. T-score of spine was found statistically significantly higher at 6 months & 12 months than control group, but not at baseline (table 3). Similarly, t-score of hip joint in teriparatide group was significantly higher at 12 months than control group but not at 6 months and baseline (table 3). Mean t-score of radius in teriparatide group was found statistically significantly higher at 12 months than control group, but not at baseline and 6 months (table 3).

When difference in difference analysis was done to compare improvement or change in t-score after 6 months treatment duration and 12 months treatment duration, it was found that improvement was always higher in teriparatide group than control group both after 6 months and 12 months treatment duration at all 3 sites i.e. spine, hip and radius (table 3).

TABLE 3
INTER GROUP COMPARISON OF T SCORE

T Score	Time interval	Control (N=31)	Teriparatide(N=31)	'p' value*
Spine	Baseline	-3.16 ± 1.04	-2.83 ± 1.08	0.225
	6 months	-3.16 ± 1.09	-2.16 ± 1.7	0.008
	12 months	-3.19 ± 1.1	-2.1 ± 0.99	<0.001
	Change in 6 months	0.00 ± 0.32	0.74 ± 1.43	0.007
	Change in 12 months	-0.03 ± 0.41	0.8 ± 0.43	<0.001
Hip	Baseline	-2.30 ± 1	-2.38 ± 0.78	0.727
	6 months	-2.38 ± 0.97	-2.09 ± 0.72	0.186
	12 months	-2.41 ± 0.98	-1.85 ± 0.72	0.013
	Change in 6 months	-0.08 ± 0.22	0.36 ± 0.45	<0.001
	Change in 12 months	-0.10 ± 0.36	0.59 ± 0.45	<0.001
Radius	Baseline	-3.97 ± 1.4	-3.84 ± 1.5	0.726
	6 months	-3.97 ± 1.3	-3.51 ± 1.43	0.190
	12 months	-4.00 ± 1.33	-3.17 ± 1.36	<0.018
	Change in 6 months	0.00 ± 0.37	0.44 ± 0.74	0.004
	Change in 12 months	-0.04 ± 0.43	0.77 ± 0.68	<0.001

**Unpaired 't' test*




FIGURE 1: Inter group comparison of T score




FIGURE 2: Inter group comparison of improvement in T score at 6 month & 12 month

VI. DISCUSSION

Present study found significant improvement in t-score at all 3 sites after 12 months treatment duration with teriparatide which is in conformity with the findings of the study done by Miyauchi et al, BK Sethi et al, Satoshi Soen et al who also found teriparatide as effective treatment of osteoporosis in their studies.

In our study after 12 months treatment duration with teriparatide, t-score was found at all 3 sites significantly more than control group which is similar to the study of Miyauchi et al⁹ who also found that teriparatide increases BMD at spine and hip in his multicentre, randomized, placebo-controlled study in Japan. Similarly, BK Sethi et al¹⁰ conducted a randomized,

prospective, multicentre, open-label controlled study in 82 postmenopausal women and concluded that treatment with teriparatide for 6 months significantly increases lumbar spine BMD compared to control group and this finding is comparable with our study. Satoshi Soen et al¹¹ conducted a multicentre, prospective study on 1996 patients in Japan and observed that after 12 and 24 months, treatment with teriparatide increases BMD at lumbar spine and total hip which is comparable with our findings.

Our study reiterates that teriparatide prevents postmenopausal osteoporosis as compared to standard treatment.


Treatment with teriparatide is safe and well tolerated. One subject developed localized skin rashes at injection sites which was self-limiting , no other serious side effect was noted during this 12 months of follow up period.

VII. CONCLUSION

One year treatment with teriparatide (20 mcg daily) is found to be effective in preventing postmenopausal osteoporosis. It increases BMD at spine, hip and radius more than the standard therapy. However, the improvement in t-score after 1 year treatment with teriparatide at 6 and 12 months was more at spine than at hip and radius. Teriparatide is a safe and well tolerated with minimal side effects which may also be useful in patients with osteoporosis due to other causes such as multiple sclerosis, poliomyelitis and other neurological conditions.

REFERENCES

- [1] Bartl R, Frisch B. Osteoporosis: diagnosis, prevention, therapy. Springer Science & Business Media; 2009 May 12.
- [2] Camacho PM, Petak SM, Binkley N, Clarke BL, Harris ST, Hurley DL, Kleerekoper M, Lewiecki EM, Miller PD, Narula HS, Pessah-Pollack R. American Association of Clinical Endocrinologists and American College of Endocrinology clinical practice guidelines for the diagnosis and treatment of postmenopausal osteoporosis—2016. *Endocrine Practice*. 2016 Sep;22(s4):1-42.
- [3] Khadilkar AV, Mandlik RM. Epidemiology and treatment of osteoporosis in women: an Indian perspective. *International journal of women's health*. 2015;7:841.
- [4] Shah RS, Savardekar L, Iddya U, Balaiah D, Parihar A, Jhankaria B. First Indian study on bone density measurement in Indian women—salient outcomes. *Osteoporosis alert*. 2004;1:3-4.
- [5] Mithal A, Nangia S, Arya V, Verma BR, Gujral RB. Spinal bone mineral density in normal Indian females. *J Bone Miner Res*. 1998;13(Suppl 1):S591.
- [6] Gupta A. Osteoporosis in India—the nutritional hypothesis. *National Medical Journal of India*. 1996 Nov 1;9:268-74.
- [7] Leder BZ, Tsai JN, Uihlein AV, Burnett-Bowie SA, Zhu Y, Foley K, Lee H, Neer RM. Two years of Denosumab and teriparatide administration in postmenopausal women with osteoporosis (The DATA Extension Study): a randomized controlled trial. *The Journal of Clinical Endocrinology & Metabolism*. 2014 May 1;99(5):1694-700.
- [8] Hopkins RB, Goeree R, Pullenayegum E, Adachi JD, Papaioannou A, Xie F, Thabane L. The relative efficacy of nine osteoporosis medications for reducing the rate of fractures in post-menopausal women. *BMC Musculoskeletal Disorders*. 2011 Dec 1;12(1):209.
- [9] Miyauchi A, Matsumoto T, Shigeta H, Tsujimoto M, Thiebaud D, Nakamura T. Effect of teriparatide on bone mineral density and biochemical markers in Japanese women with postmenopausal osteoporosis: a 6-month dose-response study. *Journal of bone and mineral metabolism*. 2008 Nov 1;26(6):624-34.
- [10] Sethi BK, Chadha M, Modi KD, Kumar KP, Mehrotra+ R, Sriram++ U. Efficacy of teriparatide in increasing bone mineral density in postmenopausal women with osteoporosis—an Indian experience. *JAPI*. 2008 Jun;56:418-24.
- [11] Soen S, Fujiwara S, Takayanagi R, Kajimoto K, Tsujimoto M, Kimura S, Sato M, Krege JH, Enomoto H. Real-world effectiveness of daily teriparatide in Japanese patients with osteoporosis at high risk for fracture: final results from the 24-month Japan Fracture Observational Study (JFOS). *Current medical research and opinion*. 2017 Nov 2;33(11):2049-56.



AD Publications

Sector-3, MP Colony, Bikaner, Rajasthan, INDIA

www.adpublications.org, www.imjhealth.org, info@imjhealth.org